IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



#9

Group Art Unit 1742 :

In re Application of :

GAYLORD D. SMITH ET AL. : ADVANCED HIGH TEMPERATURE CORROSION RESISTANT ALLOY

Serial No. 09/148,749 :

Filed September 4, 1998 :

Examiner - Tamara Gray :

DECLARATION OF GAYLORD D. SMITH UNDER 37 C.F.R. §1.132

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

I, GAYLORD DARRELL SMITH, a co-inventor of the instant invention, hereby declare the following:

1. I am a United States citizen residing at 120 Stamford Park Drive, Huntington, West Virginia 25705.

2. I have been employed by Special Metals Corporation and its predecessor corporation, Inco Alloys International, Inc., of Huntington, West Virginia (and its predecessors) for 32 years. Currently, I hold the title of Technical Manager - Product Development.

3. I have received a B.S. degree in soil chemistry and an M.S. degree in metallurgy from Iowa State University and an MBA from New York University. I have worked in the metallurgy art for 42 years. During this time I have been a named inventor of over 30 United States patents involving the subject matter of Ni-base alloys. A list of these patents through 1995 is included in my curriculum vitae attached hereto.

4. I have reviewed the Office Action dated April 26, 2000, in connection with the above-captioned patent application, as well as the prior art references cited therein. Claims 1-19 have been rejected as being obvious to one of ordinary skill in the art over U.S. Patent No. 5,780,116 to Sileo et al. (hereinafter "Sileo et al."). In support of this conclusion, the Examiner states that Sileo et al. teaches a nickel base superalloy that comprises a number of alloy constituents that purportedly overlap the claimed ranges of pending claims 1-19 of the instant application.

5. I disagree with the Examiner's position that the claimed invention would have been obvious to one of ordinary skill in the art over Sileo et al.

6. I have studied the compositional ranges of the so-called nickel base alloy relied upon by the Examiner and set forth in column 7, lines 48-59 of Sileo et al. I have added all of the maximum amounts of the listed alloy constituents (except Ni) and find that these enumerated alloy (less Ni) constituents total 115.1%. Bearing in mind that the Sileo et al. alloy has a "balance essentially nickel," there can be no Ni present in the Sileo et al. alloy when all of the other constituents are present in their maximum amounts. Conversely, I have added all of the minimum amounts of these same listed alloy constituents (except Ni) and find that these total 8.1%, thus leaving a balance of 91.9% Ni. Hence, the so-called nickel base alloy taught by Sileo et al. and relied upon by the Examiner has a Ni range of 0-91.9%.

7. I conclude that the above disclosure of Sileo et al. set forth in column 7, lines 48-59 and subsequently adopted by the Examiner, is meaningless and non-enabling to persons skilled in the art due to the undue breadth of the constituent ranges. The only nickel base alloy ranges disclosed in Sileo et al. which would have any meaning to persons skilled in the art are those set forth in Table 1 in column 7, lines 19-44, identified as Alloy 1, Alloy 2 and Alloy 3. In reviewing the three alloy compositions of Table 1 of Sileo et al., it is apparent that the

minimum and maximum ranges for each element of the broad composition set forth in column 7, lines 48-59 and relied upon by the Examiner, were selected from the minimum and maximum values for a given constituent in Alloys 1, 2 and 3 of Table 1 taken collectively. Clearly, this is improper and meaningless since each of the alloy compositions 1, 2 and 3 of Table 1 of Sileo et al. represents a unique composition with specific combinations and amounts of alloying constituents present (or not present) in each alloy. One skilled in the art would not then establish broad compositional limits for an alloy by combining the maximum and minimum values of three unique alloy compositions as was done in column 7, lines 48-59 of Sileo et al., because the resultant combined composition is fictitious, as evidenced by the fact that the maximum amount of alloy constituents (without Ni) totals 115.1% in the so-called Ni base alloy composition of Sileo et al. as set forth above.

8. I have compared the alloy ranges of Alloys 1-3 of Table 1 of Sileo et al. with pending claims 1-19 and believe that only Alloy 2, having a chromium content of 24.00 - 26.00%, bears any relevance with respect to the Cr content of 21.5-28% of claim 1 of the instant application. The balance of the major constituents of the compositions of the invention do not overlap, however, with Sileo et al.'s Alloy 2. More specifically, claim 1 of the instant application requires, *inter alia*, 12-18% Co, 4-9.5% Mo, 2-3.5 Al, while Sileo et al. Alloy 2 contains no Co, no Mo and 5.5-6.5 Al. Alloys 1 and 2 listed in Table 1 of Sileo et al. are not relevant to the instant claims since there is no overlap in the critical Cr range.

9. It is overwhelmingly clear to me that the alloys of Sileo et al. do not suggest the claimed compositions of the present invention. In my opinion, the present invention as defined in claims 1-19 is unobvious over the disclosure of Sileo et al.

10. Furthermore, the alleged invention of Sileo et al. resides in a method of making an abradable seal in which a plasma sprayed bond coat made from a metal powder forms

a matrix for a composite containing 20-45 volume % of boron nitride which is also deposited as a thin film on the bond coat by plasma spraying. The compositional limits of the bond coat are the broad ranges set forth in column 7, lines 48-59 of Sileo et al. discussed above. The Sileo et al. disclosure is directed to a composition which is in powder form which is merely plasma sprayed to form a surface coating, thus, hot and cold workability is not required as is required in the present invention. In my opinion, persons skilled in the art who were interested in obtaining a wrought, nickel base alloy to which the present invention pertains would not look to the plasma sprayed powder composite of Sileo et al.

11. It must also be noted that in claim 1 of the present application, Mo is present in the amount of 4.5 to 9.5% whereas in Sileo et al., Mo is optimally present in an amount 0-4.0%. Mo in the present invention is critical in the claimed range, contributing to solid solution strengthening and improved protective scale performance at intermediate temperatures. This claimed critical range for Mo is not suggested by Sileo et al., further evidencing the non-obviousness nature of the present invention.

12. It will also be noted that Ti is an optional element from 0 to 5% in Sileo et al. which closely specified at 0.05 to 2.0% in claim 1 for the purpose of deoxidation during manufacture and as a carbide (TiC) former which acts as a grain stabilizer during manufacture and service. The upper limit of 2.0% for Ti in claim 1 serves to limit the volume % of gamma double prime that may form at intermediate temperatures which is, likewise, not recognized or suggested in Sileo et al., also evidencing the non-obvious advance of the presently claimed invention.

This Declaration represents my good faith professional opinion. I am aware that willful false statements and the like are punishable by fine or imprisonment or both under 18 U.S.C. §1001 and may jeopardize the validity of the application or any patent issuing thereon.

All statements made of my own knowledge are true and all statements made on information and belief are believed to be true.

Respectfully submitted,

Date: 8/25/00

Gaylord D. Smith

Gaylord D. Smith

GAYLORD D. SMITH
SENIOR RESEARCHER

EDUCATION:

B.S. Chemistry , Iowa State University, 1952
M.S. Metallurgy, Iowa State University, 1958
M.B.A. New York University, 1972

MANAGEMENT TRAINING:

Industrial Research Management Course at Harvard Business School, 1976
Four-week Management Course at American Management Association, 1977

EXPERIENCE:

1952-1957 USAF (Captain), Air Weather Service

1957-1958 Instructor, Department of Mechanical Engineering, Iowa State University

1958-1968 Research Metallurgist, DuPont Company

1968-1969 Product Development Engineer, International Nickel Company

1969-1970 Product Development Manager for Platinum Metals

1970-1971 Product Development Manager for Nickel Alloys

1972-1974 Product Development Manager for Powder Metallurgy

1974-1984 Development Manager for New Vertures

1984-1989 Senior Metallurgist, High Temperature Corrosion, Inco Alloys International

1989-Present Senior Researcher, High Temperature Corrosion, Inco Alloys International

Publications and Patents:

Over One Hundred technical publications and presentations. Co-editor of four volumes in powder metallurgy. Thirty six U.S. patents (issued and pending). See attachments.

GAYLORD D. SMITH
SENIOR RESEARCHER

AFFILIATIONS:

American Society for Metal International
- Delaware Chapter Publicity Chairman (1960)
- ASM Technical Awareness Committee (1975-78)
- Contributor of "Technical Forecasts" to ASM (1975-78)
- ASM Phase Diagram Committee (1987 to present)
- Co-author of chapter in Vol. 13 "Corrosion" on Corrosion of Noble Metals (1987)
- Selected ASM Fellow (1991)

The National Association of Corrosion Engineerers

American Powder Metallurgy Institute
- National Chairman of America Powder Metallurgy Institute Conference (1975)
- Co-Chairman of American Powder Metallurgy Institute International Conference (1980)
- Member of Metal Powder Industries Federation "Technical Board" (1972-80)

Member of the founding Board of Directors for the International Precious Metal Institute (1968)

Member of the Technical Board of the Selenium-Tellurium Development Association (1975-1981)

CONFERENCE BOOKS

THE INTERNATIONAL CONFERENCE ON ADVANCES IN MATERIAL TECHNOLOGY FOR FOSSIL POWER PLANTS, SEPT 1987 CHICAGO

MATERIALS WEEK 1987 OCTOBER CINCINNATI

Academic Institutions Having Facilities for Research in Powder Metallurgy

Metals Handbood Ninth Edition Volume 13 Corrosion "Corrosion Behavior of Precious Metals and Alloys" ASM Metals Handbook, Vol. 13, 1986, by G. D. Smith and E. Zysk (Englehard Corp.)

HIGH TEMPERATURES TESTS: CORROSION TESTS AND STANDARDS APPLICATIONS AND INTERPRETATION, ASTM, 1995. SMITH. CHAPTER TITLE, SECTION III HIGH TEMPERATURE, CHAPTER 16, P149-157.

1995- CORROSION TESTS AND STANDARDS: APPLICATION AND INTERPRETATION " HIGH TEMPERATURE GASES, G. D. SMITH, PASHA GANESAN, C. S. TASSEN & CHARLES CONDER, CHAPTER 37, P395-371.

ASM HEAT RESISTANT MATERIALS, CONFERENCE PROCEEDINGS, 1991. HIGH TEMPERATURE SERVICE EXPERIENCE AND CORROSION RESISTANCE FOR MECHANICALLY ALLOYED ODS ALLOYS, SMITH TASSEN, FISCHER, SHAW.
ALSO: A NEW ALLOY FOR HIGH TEMPERATURE CONTROL, GANESAN, SMITH TASSEN.

INCONEL ALLOY 718SPF - AEROSPACE METALS HANDBOOK, JAN '95.

TRANSACTIONS OF THE AIME THERMAL BARRIER CHARACTERISTICS OF PARTIALLY STABILIZED ZIRCONIA COATINGS ON INCOLOY ALLOY 909 (A CONTROLLED EXPANSION ALLOY) SMITH.

CORROSION TESTS AND STANDARDS, APPLICATION AND INTERPRETATION, High Temperature by G. D. Smith, Chapter 16, p149-157, 1995.

CORROSION TESTS AND STANDARDS, APPLICATION AND INTERPRETATION, High-Temperature Gases, By G. D. Smith, P. Ganesan, C. S. Tassen and C. Conder, Chapter 37, p359, 1995.

Metallurgical Coatings 1987, VIII. Proceedings of the 14th INTERNATIONAL CONFERENCE, SAN DIEGO, CAL, U.S.A., MARCH 23-27, 1987. High Temperature Corrosion of LPPS-Coated INCONEL Alloy MA 6000 by G. D. Smith and R. C. Benn, p201.

Mechanical Properties and Corrosion Resistance of INCOLOY alloy 803, P. Ganesan, G. D. Smith, C. S. Tassen, Application and Materials Performance, Nickel Cobalt, '97, Vol. IV.

GS 1. Field Experience of High Nickel Containing Alloys in Waste Incinerators by J. A. Harris, Lipscomb and Smith.

GS 2. Experience With Nickel Containing Alloys in Applications in Waste Incenerators by Ganesan and Smith.

GS 3. Corrosion Resistance of a New Composite Tubing Designed for Fluidized Bed Coal Combustions by Smith and Lipscomb.

GS 4. High Temperature Corrosion of LPPS-coated INCONEL alloy MA 6000 by Smith and Benn.

GS 5. Multiphase Alloys Have All Three, High Strength, Ductility, Corrosion Resistance by G. D. Smith and D. Yates.

GS 6. Some Observations on the Performance of Nickel-Coating Commercial Alloys in Nitrogen-Based Atmospheres by Smith and Bucklin.

GS 7. Mechanical Properties and Corrosion Resistance of a New Composite Tubing Designed for Fluidized Bed Coal Combustors by Tassen and Smith.

GS 8. Performance of Nickel Containing Commercial Alloys in Nitrogen Based Atmospheres by Rosa and Smith.

GS 9. Oxide Scale Formation on Selected Candidate Combustor Alloys in Simulated Gas Turbine Environments by P. Ganesan and G. D. Smith.

GS 10. Performance of Selected Commercial Alloys in Nitrogen-Based Sintering Atmospheres by G. D. Smith and Seams and Funkhouser, Ashworth Brothers Inc.

GS 11. Anticancer Characteristics of Two Platinum Metal Compounds in Vesticular Drup Delivery System by G. D. Smith.

GS 12. Cisplatin and Interferon in Combination Chemotherapy by G. D. Smith.

GS 13. Valuation of the Scrapped Auto Catalyst in the fluctuating Precious Metals Market by J. Farkas and G. D. Smith.

GS 14. Performance and Scale Formation of Selected High Temperature Alloys in Simulated Waste Incineration Environments Containing Gaseous Bromides and Chlorides by Smith and Gansean.

GS 15. Protection of Black Liquor Recovery Boiler Waterwall Tubes With Arc Sprayed Nickel Chrome Wire-06BXP by Frank Velapoldi and Gaylord Smith.

GS 16. An Evaluation of an Overlay Coated ODS Superalloy in High Temperature Oxidation and Burner Rig Environments by Ganesan and Smith.

GS 17. Thermal Barrier Characteristics of Partially Stabilized Zirconia Coatings on INCOLOY alloy 909 (A Controlled Expansion Alloy) by Gaylord D. Smith.

GS 18. Laboratory and Field Experience with the use of Nickel Containing Alloys for High Temperature Applications in Waste Incineratory by P. Ganesan and G. D. Smith.

GS 19. Burner Rig and Cyclic Oxidation Testing of Candidate Gas Turbine Combuetor Alloys by G. D. Smith.

TECHNICAL PAPERS

GS 20 The Coatability of ODS Superalloys by R. C. Benn, G. D. Smith and D. H. Boone

GS 21 Performance of Incinerator System Materials Under Simulated Radwaste Incineration Conditions by Elguindy, Ross and Gaylord Smith

GS 22 An Evaluation of an Overlay Coated ODS Superalloy in High Temperature Oxidation and Burner Rig Environments by P. Ganesan and G. D. Smith

GS 23 Field and Laboratory Performance of Alloys 825 and 625 in Waste Incineration Environments by G. D. Smith and W. G. Lipscomb

GS 24 Performance and Scald Formation of Selected High Temperature Alloys in Simulated Waste Incineration Environments Containing Gaseous Bromides and Chlorides by G. D. Smith and P. Ganesan

GS 25 High Temperature Oxidation Resistance of MA ODS Nickel-Based Alloys by G. D. Smith, J. J. deBarbadillo and J. J. Fischer, PM Aerospace Materials, Nov., 1991.

GS 26 High Temperature Service Experience and Corrosion Resistance for Mechanically Alloyed ODS Alloys by G. D. Smith, C. S. Tassen, J. J. Fischer and M. J. Shaw, First International Conference on Heat Resistant Materials, Sept, 1991.

GS 27 Recent Developments and Challenges in the Application of Mechanically Alloyed, Oxide Dispersion Strengthened Alloys" by J. J. deBaradillo and G. D. Smith

GS 28 "The Metallic Precursor Approach to Long Lengths of $YBa_2Cu_3P_{7-x}$ Superconducting Wire" by G. D. Smith, D. H. Sandhage, L. J. Masur, J. M. Poole, M. McKimpson, TMS, March, 1991.

GS 29 "High Temperatures Corrosion Modes in Waste Incineration Environments" by G. D. Smith, P. Ganessan and L. E. Shoemaker

GS 30 Recent Developments and Challenges in the Application of Mechanically Alloyed, Oxide Dispersion Strengthened Alloys" by G. D. Smith and J. J. deBarbadillo, International Syumposium on Mechanical Alloying, May, 1991.

GS 31 "High Temperature Corrosion Resistance of Heat Resistant Mechanically Alloyed Products" by G. D. Smith and P. Ganesan

GS 32 "Corrosion Behavior of INCOLOY Alloy MA 956 in a High Temperature Sulphur Environment" by S. D. Mannan, G. D. Smith, F. J. Veltry and R. D. Wilson

GS 33 "Microstructural and Mechanical Property Characterization of Superplastically Formed (SPF) INCONEL Alloy 718 by G. D. Smith, D. H. Yates, P. N. Comley, Yan Ma and T. G. Langdon, Seven Springs, PA.

GS 34 "PERFORMANCE OF A NEW ALLOY IN HIGH TEMPERATURE SERVICE, GANESAN, SMITH, TASSEN, NACE '93, N 234.

GS 35 "Optimization of the Fatigue Properties of INCONEL Alloy 625" by G. D. Smith and D. H. Yates

TECHNICAL PAPERS AND PRESENTATIONS

GS 36 "Optimization of the Fatigue Properties of INCONEL Alloy 617" by G. D. Smith and D. H. Yates, Presented at IGTI in Orlando, FL, June, 1991, 91-GT-161

GS 37 "Performance of Selected Commercial Alloys in Nitrogen Based Sintering Atmospheres by P. Ganeson and G. D. Smith, presented Corrosion "90, April, 1990

GS 38 "Some Developments in the Coatability of ODS Superalloys" by G. D. Smith, R. C. Benn and D. H. Boone, Sept., 1987

GS 39 "Field and Laboratory Performance of Alloys 825 and 625 in Waste Incineration Environments" by G. D. Smith and W. G. Ligscomb

GS 40 "Performance of INCONEL alloy 617 in Simulated Gas Turbine Environments," by G. D. Smith, P. Ganesan, D. H. Yates, TMS< March 1992.

GS 41 "Some Observations on the Performance of Nickel-Containing Commercial Alloys in Nitrogen-Based Atmospheres by G. D. Smith P. A. Bucklin, NACE, Paper No 375 (1986)

GS 42 "Performance of Alloys 825 and 625 in Waste Incinerator Environments" by G. D. Smith and C. S. Tassen

GS 43 "Solution of a Heat Exchanger Corrosion Problem in an Industrial Chlorinated Solvent Incinerator" by G. D. Smith, P. Ganesan, and L. E. Shoemaker

GS44 "Exploring the Temperature and Environmental Limits for MA ODS Alloys Based on High Temperature Corrosion Performance" by G. D. Smith, J. J. deBarbadillo and J. J. Fischer

GS 45 "High Temperature Corrosion of LPPS-Coated INCONEL alloy MA 6000" by G. D. Smith and R. C. Benn, Surface and Coatings Tech. 32 (1987), pp. 201-214

GS 46 "High Temperature Corrosion Resistance of Mechanically Alloyed Products in Gas Turbine Environments" by G. D. Smith and J. H. Fischer, ASME, 90-GT-206

GS 47 "Academic Institutions Having Facilities for Research in Powder Metallurgy", MPIF Publications, 1974

GS 48 "Performance of Nickel Containing Commercial Alloys in Nitrogen Based Atmospheres" by G. D. Smith and E. F. Rosa

GS 49 "Corrosion Resistance of INCONEL Alloy 617 in Simulated Gas Turbine Environments" by G. D. Smith, P. Ganesan, and D. H. Yates

GS 50 "Performance of Incinerator System Materials Under Simulated Radwaste Incineration Conditions" by G. D. Smith, Elguidy and Ross

GS 51 THE EFFECT OF ENVIRONMENT EXCURSIONS WITHIN THE WASTE INCINERATOR ON NICKEL-CONTAINING ALLOY PERFORMANCE, SMITH GANESAN AND SHOEMAKER, NACE '90

GS 52 PERFORMANCE OF ALLOYS 825 AND 625 IN WASTE INCINERATOR ENVIRONMENTS, SMITH AND TASSEN, MATERIALS SELECTION AND DESIGN, DEC, V28, N12, P41-43 '89.

GS 53 RECENT ADVANCES IN THE ENHANCEMENT OF INCONEL ALLOY 617 PROPERTIES TO MEET THE NEEDS OF THE LAND BASED GAS TURBINE INDUSTRY, YATES, GANESAN, SMITH

GS 54 A NEW GAS TURBINE HOT GAS PATH ALLOY, GAMESAM, SMITH, YATES.

GS 55 EFFECT OF GRAIN SIZE, MICROSTRUCTURE, TEST TEMPERATURE, AND FREQUENCY ON THE LOW CYCLE FATIGUE PROPERTIES OF INCONEL ALLOY 617 , MANNAN, SMITH WILSON.

GS 56 CORROSION BEHAVIOR OF INCOLOY ALLOY NA 956 IN A HIGH TEMPERATURE SULPHUR ENVIRONMENT, MANNAN, SMITH, VELTRY, WILSON.

GS 57A THERMAL BARRIER COATINGS OF INCOLOY ALLOY 909 BY SMITH AND BELL.
GS 57B THERMAL BARRIER COATINGS ON INCOLOY 909, CUSHNIE, BELL, SMITH.

GS 58 Property Enhancement of Nickel-Based Alloys Through Tailoring or Mill Practices by John H. Tundermann and G. D. Smith, Korea

GS 59 Cavitation Formation and Its Minimization During Superplastic Forming of INCONEL alloy 718 SPF by G. D. Smith and H. Lee Flower, AEROMAT, Anaheim, May. and Las Vegas, TMS, Feb.

GS 60 Nickel-Based Alloy Property Advances Through Tailoring of Mill Practices by John H. Tundermann and G. D. Smith, ASM, fall meeting.

GS 61 Enhancing Carburization Resistance of Nickel Containing Alloys in Fossil Fuel Environments by G. D. Smith and C. S. Tassen, NACE, Orlando, March.

GS 62 CORROSION RESISTANCE OF ALLOY 803 IN ENVIRONMENTS APPLICABLE TO FOSSEL ENERGY SYSTEMS BY GANESAN, SMITH, TASSEN. ASM

GS 63 PERFORMANCE OF INCONEL ALLOY 617 IN ACTUAL AND SIMULATED GAS TURBINE ENVIRONMENTS.

GS 64. CARBURIZATION AND NITRIDATION, HIGH PERFORMANCE MATERIALS SEMINAR, '90, MINNEAPOLIS

GS 65. FABRICATION, WELDING A D HEAT TREATMENT OF NICKEL ALLOYS UNS NO8800, NO8810. NO8811 AMD NO8825, TASSEN, SMITH, MANNAN AND HINSHAW, NACE '96, DENVER.

GS 66. ENHANCEMENT OF CARBURIZATION/OXIDATION RESISTANCE IN FOSSIL FUEL ENVIRONMENTS THROUGH ALLOY COMPOSITIONAL OPTIMIZATION, BAKER, SMITH, TASSEN, DENVER, NACE '96.

GS 67. METALLIC CORROSION IN WASTE INCINERATION, A LOOK AT SELECTED ENVIRONMENTAL AND ALLOY FUNDAMENTALS BY SMITH, GANESAN, ASM, GATLINBURG, TN, HEAT-RESISTANCE CONFERENCE.

GS 68. ALLOY OPTIMIZATION FOR ENHANCED FLEXIBLE COUPLING PERFORMANCE, SMITH, CRUM AND R. SMITH. SAE 2/96.

GS 69. INDUSTRIAL HEATING (JOURNAL OF THERMAL TECHNOLOGY) THERMAL BARRIER COATINGS INCREASE APPLICABILITY OF Ni-Co-Cb-IRON BASED ALLOY BY K CUSHNIE, J. A. E. BELL & G. D. SMITH PAPER PRESENTED ASM MATERIALS WEEK IN DETROIL, OCT, 1990.

TECHNICAL PAPERS

GS 70. CORROSION TESTS AND STANDARDS: APPLICATION AND INTERPRETATION, G. SMITH, TITLE OF CHAPTER ,SECTION III HIGH TEMPERATURE, CHAPTER 37, 2395-371.

GS 71. MICROSTRUCTURAL AND MECHANICAL PROPERTY CHARACTERIZATION OF SUPERPLASTICALLY FORMED INCONEL ALLOY 717 SPF, SMITH, YATES, COMLEY, YAN MA AND TERENCE LANGDON

GS 72. SUPERPLASTIC FORMING OF INCONEL ALLOY 718 SPF, SMITH AND FLOWER, SUPERALLOYS 718, 625, 706 AND VARIOUS DERIVATIVES, THE MINERALS, METALS & MATERIALS SOCIETY, 1994.

GS 73. LABORATORY AND FIELD EXPERIENCE WITH THE USE OF NICKEL CONTAINING ALLOYS FOR HIGH TEMPERATURE APPLICATIONS IN WASTE INCINERATORS BY SMITH AND GANESAN.

GS 74. AN EVALUATION OF AN OVERLAY COATED ODS SUPERALLOY IN HIGH TEMPERATURE OXIDATION AND BURNER RIG ENVIRONMENTS BY SMITH AND GANESAN.

GS 75. EFFECT OF SIMULATED ENVIRONMENTS ON OXIDE SCALE FORMATION OF CANDIDATE COMBUSTOR ALLOYS, SMITH, GANESAN, TILLACK AND WAGNER.

GS 76. BURNER RIG AND CYCLIC OXIDATION EFFECTS ON THE STABILITY OF INCONEL ALLOY MA754, SMITH, OCT, 1987.

GS 77. HIGH TEMPERATURE CORROSION RESISTANCE OF MECCHANICALLY ALLOYED PRODUCTS IN GAS TURBINE ENVIRONMENTS BY SMITH AND FISCHER, ASME, 90-OT-206.

GS 78. THE ROLE OF PROTECTIVE SCALES IN ENHANCING OXIDATION RESISTANCE BY SMITH, CORROSION '96, DENVER, MARCH 24-29 NACE.

GS 79. SUPERPLASTIC FORMING OF INCONEL ALLOY 718SPF BY SMITH & YATES, SAMPE, ADVANCEMENTS IN SYNTHESIS AND PROCESSES, OCT, 1992.

GS 80. OPTIMIZATION OF LOW CYCLE FATIGUE OF A WROUGHT HIGH NICKEL ALLOY BY SMITH, MARTIN, GANESAN.

GS 81. LABORATORY EVALUATION OF FOUR CANDIDATE ALLOYS FOR FLUIDIZED BED COAL COMBUSTORS, GANESAN AND SMITH ASM '88.

GS 82. GRAIN SIZE, TEMPERATURE AND THEIR RELATIONSHIP TO THE LWO CYCLE FATIGUE PROPERTIES OF INCONEL ALLOY 617 BY SMITH, YATES, MANNAN, TMS, MARCH 1992.

GS 83. ANTITUMOR ACTIVITY OF CISPLATIN PLUS INTERFERON AGAINST ASCITES SARCOMA - 180 IN MICE BY SMITH, FEB 1982.

GS 84. ENVIRONMENTAL RESISTANCE OF INCOLOY ALLOY MA 956, AN OXIDE DISPERSION STRENGTHENED FERRITIC STAINLESS STEEL, MCCOLVIN AND G. D. SMITH.

GS 85. ALLOY OPTIMIZAION FOR ENHANCED FLEXIBLE COUPLING PERFORMANCE, G. D. SMITH, CRUM AND SMITH, SAE, FEB '96.

GS 86. Tailoring Mill Practice to Maximize Intermediate Temperature Properties of Nickel-Based Alloys, G. Smith, Flower, ASM-TMS.

GS 87. Corrosion Resistance of Nickel-Containing Alloys in Petrochemical Environments by G. D. Smith.

GS 88. Enhancing Carburization Resistance in Fossil Fuel Environments by Smith and Tassen, Corrosion '95, Paper No. 469.

GS 89. Processing Parameters for Superplastic Forming and Diffusion Bonding of INCONEL alloy 718 SPF by Smith, Flower and McKimpson.

GS 90. A Comparison of AOD + ESR with RIM + ESR Processed alloy 625, Ganesan, Smith and Crum, 4th International Symp TMS, March, 1997.

GS 91. Maximizing the Performance of Wrought Nickel-Base Alloys for Gas Turbine Exhaust Systems, (Presentation Only), G. D. Smith, H. L. Flower, Tundermann, J. H., AeroMat' '97.

GS 92. Process Modeling the Superplastic Forming Behavior of INCONEL alloy 718SPF, G. D. Smith, Flower, Y. Ma, Y. Li, T. G. Langdon, TMS, '97.

GS 93. Mechanical Properties and Corrosion Resistance of INCOLOY alloy 803, Ganesan, Smith, Tassen, '97, 36th Annual Conference of Metallurgist of CIM.

G 94. Metal Dusting of Nickel-Containing Alloys, B. A. Baker, G. D. Smith, NACE Corrosion '98.

GS 95. A New Nickel Containing Alloy Developed for Flexible Exhaust Couplings, Crum, Smith, Provan, ASM-TMS Mat'ls Wk, Sept. '97.

GS 96. Predicting Future Flexible Exhaust Coupling Alloy Requirements Based on Current Coupling Alloy Performance, (Presentation Only), Smith, Crum, Flower, ASM-TMS Mtl Wk, Sept. '97.

Utilizing Mill Practice to Enchance Nickel-Base Alloy Properties, G. D. Smith and H. L. Flower, Aero Mat '96, Dayton, Ohio, 6/3/96.

Characterization of Inconel alloy 625LCF Flexible Coupling Performance in Automotive Applications, G. D. Smith, J. R. Crum, and R. A. Smith, ASM/TMS Matls Wk, Cincinnati, Ohio, 10/6/96.

Tailoring Mill Practice to Maximize Intermediate Temperature Properties of Nickel-Based Alloys, G. D. Smith and H. L. Flower, ASM/TMS Metals Wk, Cincinnati, Ohio, 10/6/96.

Superplastic Process Optimization of INCONEL alloy 718SPF, G. D. Smith, H. L. Flower, and R. B. Leholm, SAMPE, Seattle, Washington, 11/4/96.

Factors Involved in Life Prediction of Exhaust System Flexible Couplings, G. D. Smith, J. R. Crumb, R. A. Smith, SAE, 4/97, Auburn Hills.

TECHNICAL PAPERS

Processing Parameters for Superplastic Forming and Diffusion Bonding of INCONEL Alloy, 718SOF, G. D. Smith, H. L. Flower, M. G. McKimpson, ASM, 3/10/97, St. Louis, Missouri.

Corrosion Resistance of Nickel-Containing Alloys in Petrochemical Environments, G. D. Smith, NACE Corr'97, 3/9/97, New Orleans, Louisiana.

Fabricating INCONEL Alloy 625LCF Sheet and Strip, G. D. Smith, H. L. Flower, and D. B. O'Donnell, Inco News, 9/18/96.

Microstructure and Mechanical Property Characterization of INCONEL Alloys 625 and 625LCF Aged at Intermediate Temperatures, G. D. Smith, J. Radavich, TMS, Pittsburgh, PA., 6/15/97.

Review of Alloy 690 Steam Generator Studies, G. D. Smith, J. R. Crumb, T. Nagashima, ANS, Amelia Isle, 8/10/97.

Presentation: Meeting Increasing Requirements of the Aerospace Industry Through Tailoring of Mill Practices, G. D. Smith, WWVU, Morgantown, WV, April 16, 1997.

Enhancing the Corrosion Resistance of High Nickel Austenitics, P. Ganesan, G. D. Smith, C. S. Tassen, 36th Annual Conf. of Metallurgist of CIM, Ontario, Canada

Presentation: Materials for Vitrification Systems Workshop in Augusta GA, G. D. Smith, Oct, 1996.

Characterization of Current Production of AOD & ESR Alloy 625 Plate, P. Ganesan, G. D. Smith, J. R. Crum.

Microstructure and Mechanical Property Characterization of Inconel Alloys 625 and 625LCF Aged at Intermediate Temperature, C. R. Conder, G. D. Smith, J. F. Radavich, Xiahn Xiw.

Process Modeling the Superplastic Forming Behavior of INCONEL Alloy 718SPR, G. D. Smith, S. R. Gregory, Y. Ma, Y. Li, and T. G. Langdon, Pittsburgh 718 Conference, June 15, 1997.

Maximizing the performance of Wrought Nickel-Base Alloys for Gas Turbine Exhaust Systems, Williamsburgh, VA, May 12, 1997.

Mechanical Properties and Corrosion Resistance of Incoloy Alloy 803, P. Ganesan, G. D. Smith and C. S. Tassen.

Performance of Selected Commercial Alloys in Nitrogen Based Sintering Atmospheres, G. D. Smith, Paper No. 278, Corrosion '89, Nace, Houston, TX., 1989.

Corrosion Resistance of Alloy 803 in Environments Applicable to Fossil Energy Systems, Paper No. 470, Corrosion, Nace, 1989, Houston, TX.

TECHNICAL PAPERS

Presentation: Predicting Future Flexible Exhaust Coupling of Alloy Requirements Based on Current Coupling Performance, G. D. Smith, ASM, Indianapolis, Sept 15, 1997.

Enchancing the Corrosion Resistance of High Nickel Austenitics, P. Ganesan, G. D. Smith, C. S. Tassen, Conference of Metallurgists and 27th Annual Hydrometallurgical Meeting, Laurentian R, Sudbury, Ontario, Canada, Aug17, 1997.

Development of a New Nickel Containing Alloy for Flexible Exhaust Couplings, Crum, G. Smith, Flower, NACE Corrosion, March '98.

High Temperature Corrosion Performance of Automotive Coupling Alloys, G. D. Smith, J. R. Crum, H. L. Flower, NACE Corrosion, March '98.

SMITH PATENTS

Patent Categories

PC-1279 Silicon Wafer Treatment Trays, G. D. Smith, W. K. Chang, C. N. Dornfest, UK Patent No. GR2199592A, Jan 1988.

PC-1280 Carburization Resistant Alloy, G. D. Smith and C. S. Tassen US Patent 4,762,681, Aug. 9, 1988, European Patent, EP0269973, Nov. '87.

PC-1285 Carburization/Oxidation Resistant Alloy, G. D. Smith & J. J. Fischer, US Patent 4,743,318, May, 10, 1988.

PC-1296 Method of Manufacture of a Heat Resistant Alloy Useful in Heat Recuperator Applications, G. D. Smith, European Patent No. EP0226458, US Patent 4,761,190, Aug. 2, 1988.

PC-2200 Dispersion Strengthened Alloy, G. D. Smith, R. C. Benn, & J. J. Fischer, May 11, 1993, US Patent No. 5209772, European Patent No. EP0256555.

PC-2201 High Nickel Chromium Alloy, G. D. Smith, P. Ganesen, C. S. Tassen & J. M. Wheeler, US Patent 4,784,830, June '87.

PC-2201A High Nickel Chromium Alloy, G. D. Smith, P. Ganesen, C. S. Tassen & J. M. Wheeler, Nov., '88. US Patent 4787945, Eurpoean Patent EP0295030

PC-2205 Nickel-Chromium Alloy of Improved Fatigue Strength, G. D. Smith, J. M. Wheeler & C. S. Tassen, US Patent 4,765,956, Aug. 23, 1988. European Patent EP0259660, Aug. '87.

PC-2207 Composition for Improved Oxidation and Sulfidation Resistance, (Sulfidation/Oxidation Resistant Alloys) G. D. Smith & C. S. Tassen, US Patent 4,882,125, Nov. 21, 1989. Canadian Patent 1,335,159, April 11, 1995.

PC-2210 Alloy for Composite Tubing in Fluidized-Bed Coal Combustor, G. D. Smith & C. S. Tassen, US Patent 4,685,427, Aug. 11, 1987.

PC-2212 MA 3002, Oxidation Resistant Alloy, G. D. Smith & R. C. Benn, Dec., '89. US Patent 5,002,834, Mar. 26, 1991. Canadian Patent 1,335,045, April 4, 1995.

PC-2213 Corrosion Resistant Coating for Oxide Dispersion Strengthened Alloys, G. D. Smith, R. C. Benn & Boone, US Patent 4,934,487, Jul. 24, 1990. European Patent EP0352557, '89.

PC-2214 Low Coefficient of Expansion Alloys Having a Thermal Barrier Coating, G. D. Smith, J. A. E. Bell, J. J. deBarbourville, US Patent 4,900,640, Feb. 13, 1990.

PC-2216 Mechanically Alloyed Ni-Co-Cr-Fe Composition of Matter and Glass Fiber, Method and Apparatus for Using Same, R. W. Haeberlee Jr., G. D. Smith, J. H. Weber, R. L. Fisher, D. J. Gaul, and J. W. Hinze, US Patent US4877435, Oct 32, 1989.

PC-2219 High Nickel Chromium Alloy (INCONEL alloy 601 - Ceramic Furnace Rollers), G. D. Smith & C. S. Tassen.
US Patent 4,787,945, Nov. 29, 1988.
Canadian Patent 1,322,676, Oct. 5, 1993.

PC-2233 Production of Oxidic Superconductor Precursors, G. D. Smith & J. J. deBarbadillo.
US Patent 4,962,084, Oct. 9, 1990.

PC-2235 Aircraft Exhaust Valves, G. D. Smith & E. F. Rosa,
US Patent 4,867,116, Sep. 19, 1989.
Canadian Patent 1,324,578, Nov. 23, 1993.

PC-2234 Production of Oxidic Superconductors by Zone Oxidation of a Precursor Alloy, G. D. Smith & J. J. deBarbadillo,
US Patent 4,962,085, Oct. 9, 1990.
Canadian Patent 1,317,531, May 11, 1993.

PC-2236 Nickel-Base Alloy, G. D. Smith, C. S. Tassen, P.Ganesan & J. M. Wheeler,
US Patent 4,877,461, Oct. 31, 1989.
European Patent EP0358211, Sept. '89.

PC-2256 Process for Forming Superconductor Precursor, G. D. Smith, J. M. Polle, G. McKimpson, L, J. Masur & K. H. Sandhage,
US Patent 5,034,373, Jul. 23, 1991.

PC-2272/1 Heater Sheath Alloy, G. D. Smith, W. H. Wendler & D. B.O'Donnell, May '92.
US Patent No. 5,217,545.

Heater Sheath Alloy, G. D. Smith, W. H. Wendler, D. B. O'Donnell,
US Patent No. 5,160,382, Jan '92.

PC-2273 Nickel Base Alloy With Superior Stress Rupture Strength and Grain Size Control, G. D. Smith & P. Ganesan, Dec. 13, 1994,
US Patent US5372662, European Patent No. EP0633325, July '94.

PC-2287 Strengthenable Ethylene Pyrolysis Alloy, P. Ganesan, G. D. Smith & C. R. Conder,
US Application Serial No. 08/663,511. Pending.

PC-2292 Flexible Alloy & Components Made Therefrom, J. R. Crumb, G. D. Smith, V. W. Hartmann, W. L. Mankins, US Application Serial No. 08/757,405. Pending.

PC-3138 GAS Turbine Cooling, Inventors, G. D. Smith, J. Bell, F.F. De Barbadillo, C. K. Cushnie.
US Patent 5,279,111, Jan. 18, 1994.

PATENTS

Cobalt-Base Alloys, May 5, 1965, Inventor, G. D. Smith Patent No. 3,180,012.

Coated Metal Article, June 21, 1966, Inventors, W. H. Severns and G. D. Smith, Patent No. 3,257,178.

Method of Coating Metals, July 18, 1967, Inventors, W. H. Sevens and G. D. Smith, Patent No. 3,331,700.

Cobalt-Nickel Base Containing Chromium and Molybdenum, Dec 5, 1967, Inventor, G. D. Smith, Patent No. 3,356,542.

Cobalt-Base Alloys, Nov. 12, 1968, Inventor, G. D. Smith, Patent No. 3,410,732.
Cobalt-Base Alloys, Reissued Sept. 16, 1975, Inventor G. D. Smith.

Platinum and Palladium Complexes, Inventors, G. D. Smith, D. S. Brown, P. Bernstein, and F. E. Weller, Patent No. 4,673,754.

Platinum and Palladium Complexes in Cancer Drugs, April 22, 1986, Inventor, G. D. Smith, Patent No. 4,584,392.

Method of Forming Protective Coatings by Electrolysis, Inventors, R. M. Skomoroski and G. D. Smith, Oct, 1973, Patent No. 3,763,002.

Oxidation Resistance Alloy, Inventors, G. D. Smith and R. C. Benn, European Patent No. EP0336612, March '89.

Nickel Based Alloys Resistant to Sulphidation and Oxidation, Inventors, G. D. Smith and C. S. Tassen, European Patent No. EP0338574, April 1989.

Oxidation Resistant Alloy, Intentors, G. D. Smith and R. C. Benn, Patent No. US5002834, April 1988.

Method of Manufacture of a Heat Resistant Alloy Useful in Heat Recuperator Applications and Product, G. D. Smith, Patent No. US4761190, Dec. '85.

Sulfidation/Oxidation Resistant Alloys, G. D. Smith, C. S. Tassen, Patent No. US4882125, Apr. '88.

Corrosion-Resistant Alloy, G. D. Smith and C. S. Tassen, European Patent No. EP0270939, Nov, 1987.

Thermal Mechanical Process for Enhancing Strength of Nickel-Chromium-Cobalt-Molybdenum, G. D. Smith, C. S. Tassen, P. Ganesan and J. M. Wheeler, US Patent 5,017,249, May 21, 1991.